

Smartmesh-P

High tension low elongation monofilament polyester

(SPA) Alta tensión menor elongación en el monofilamento de poliéster.

FABRIC No.		THREAD	TYPE OF	MESH	OPEN	FABRIC	THEORETICAL	TENSION LEVELS		
(PER INCH)	(PER CM)	DIAMETER	WEAVE	OPENING	AREA	THICKNESS	INK VOLUME	STANDARD	ADVANCED	MAXIMUM
(MICRONS)	(PW/TW)	(MICRONS)	(%)	(MICRONS)	(%)	(MICRONS)	(CU, CM/SQ.M)	(N/CM)	(N/CM)	(N/CM)
NUMERO DE MALLA		DIAMETRO	TIPO DE	APERTURA	AREA	GROSOR	VOLUMEN	CARTA DE TENSION		
(POR PULGADA)	(POR CM)	DEL HILO	ARMASÓN	DE LA MALLA	ABIERTA	DE LA MALLA	DE TINTA	STANDAR	AVANZADA	MAXIMO
(MICRONS)	(PW/TW)	(MICRONS)	(%)	(MICRONS)	(%)	(MICRONS)	(CU CM/CU.M)	(N/CM)	(N/CM)	(N/CM)
15 T	6 T	400	PW	1293	58	776	453	38	44	59
25 S	10 S	250	PW	766	57	485	276	36	43	57
40 T	16 T	200	PW	435	47	377	177	35	41	55
60 T	24 T	120	PW	303	51	200	103	29	35	46
60 HD	24 HD	145	PW	278	43	260	112	34	40	53
70 S	27 S	71	PW	292	65	120	78	15	17	23
74 T	29 T	120	PW	223	42	200	85	32	38	50
80 S	31 S	71	PW	247	60	120	72	16	19	25
86 T	34 T	100	PW	195	44	165	72	30	35	47
110 -71	43 -71	71	PW	160	48	117	56	23	27	36
110 T	43 T	80	PW	151	43	133	57	24	29	38
125 T	49 T	71	PW	132	42	120	51	24	29	38
135 -64	53 -64	64	PW	124	44	108	47	23	27	36
135 HD	53 HD	71	PW	117	39	120	47	27	32	42
150 T	59 T	54	PW	115	46	83	39	18	22	29
150 -64	59 -64	64	PW	105	39	106	41	25	29	39
160 -64	63 -64	64	PW	95	36	109	39	26	31	41
160 HD	63 HD	71	PW	88	31	116	35	29	34	45
180 T	71 T	54	PW	87	38	83	32	22	26	35
200 T	79 T	54	PW	73	33	82	27	27	32	43
225 T	90 T	48	PW	65	33	72	24	24	29	38
250 T	100 T	40	PW	62	37	59	22	22	26	35
270 T	106 T	34	PW	60	41	51	21	17	20	27
270 HD	106 HD	40	PW	54	33	59	19	24	28	37
280 T	110 T	34	PW	57	39	51	20	18	21	28
300 T	120 T	34	PW	51	36	51	18	18	22	29
300 HD	120 HD	40	PW	45	28	61	17	26	30	40
310 S	122 S	30	PW	52	40	45	18	16	19	25
330 S	130 S	30	PW	47	37	45	17	17	20	26
330 T	130 T	34	TW	43	31	60	19	21	25	33
350 S	140 S	30	PW	43	34	45	15	17	20	27
350 M	140 M	33	PW	40	30	50	15	21	25	33
350 T	140 T	34	PW	39	28	53	15	23	27	36
350 T	140 T	34	TW	39	28	59	17	23	27	36
380 S	150 S	30	PW	37	30	45	14	18	22	29
380 M	150 M	33	PW	34	26	50	13	23	27	36
380 T	150 T	34	PW	33	24	57	14	24	29	38
380 T	150 T	34	TW	33	24	59	14	24	29	38
420 S	165 S	27	PW	33	31	40	12	15	18	24
460 S	180 S	27	PW	28	26	42	11	17	20	26